

24 Zimmerman Road Leola, PA 17540 easternlancastervet.com

Cattle Breeding Methods

PG shot Start Day 2-4

PG Breed 12 hours after signs of heat are first observed.

Presynch Start (25-45 days in milk) Day 14 Day 24-26 (not Day 28)

PG PG Start Ovsych

OvsynchStartDay 7Day 9Day 10

GnRH PG (a.m.) PG (a.m.) GnRH (p.m.) Breed (a.m.) – 16 hours after GnRH

G6G Sample programs shown below modified to avoid Sunday.

Monday start								
SUN	MON TUE WED THU FRI SAT							
	PG		GnRH					
		GnRH						
		PG (a.m.)		GnRH (p.m.)	Breed (a.m.)			

Tuesday start							
SUN	MON	TUE	WED	THU	FRI	SAT	
		PG		GnRH			
			GnRH				
			PG (a.m.)		GnRH (p.m.)	Breed (a.m.)	

Wednesday start								
SUN	MON	TUE	WED	THU	FRI	SAT		
			PG			GnRH		
						GnRH		
						PG (a.m.)		
	GnRH (p.m.)	Breed (a.m.)						

	Thursday start								
SUN	MON	TUE	WED	THU	FRI	SAT			
				PG		GnRH			
						GnRH			
						PG (a.m.)			
	GnRH (p.m.)	Breed (a.m.)							

PG = 5cc Lutalyse® (prostaglandin)

Friday start								
SUN	MON	TUE	WED	THU	FRI	SAT		
					PG			
	GnRH							
	GnRH							
	PG (a.m.)		GnRH (p.m.)	Breed (a.m.)				

GnRH = 2cc Cystorelin® (gonadorelin)

Saturday start								
SUN	MON	TUE	WED	THU	FRI	SAT		
						PG		
	GnRH							
	GnRH							
	PG (a.m.)		GnRH (p.m.)	Breed (a.m.)				

CIDR = Eazi-Breed[™] CIDR[®] (progesterone)